

**Grade**

- CBF-80

**Physical**

PROPERTY	TYPICAL VALUE
Polymer	EPDM
Colour	Black
Quality	Commercial
Hardness	70° Shore A
Tensile MPa	4
Elongation	200%
Compression Set	49%
Specific Gravity	1.4
Abrasion	490 mm <sup>3</sup>
Tear Strength	12 kg/cm
Operating Temperature	-30° / +110°C

The information given above is based upon average values and is no way intended as a warranty. The purchaser is deemed responsible for determining the suitability of the product for any particular application. All data relating to suitable uses and descriptions information concerning our products are compiled from research and are believed to be reliable, but are provided for guidance purposes only. The company holds no legal or contractual responsibility for information supplied.